

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures

Trade name : PATE DE LUXE MEDAILLE D'OR

Product code : 1002 - 1004
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Care product for smooth leather.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

AVEL Lombre 16320 MAGNAC LAVALETTE - FRANCE T +33 5 45 64 74 74 - F +33 5 45 64 77 36

avel@avel.com - www.avel.com

1.4. Emergency telephone number

Emergency number : +33 5 45 64 74 74

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 2

Skin corrosion/irritation, Category 2

H315

Serious eye damage/eye irritation,
Category 2

Skin sensitisation, Category 1

Specific target organ toxicity — Single exposure, Category 3, Narcosis

Hazardous to the aquatic environment

H412

- Chronic Hazard, Category 3

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Flammable solid. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

Signal word (CLP) : Warning

Hazardous ingredients : Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics; Turpentine Oil



Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

H228 - Flammable solid. Hazard statements (CLP)

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eve irritation. H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substances

Not applicable

Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	(CAS-No.) 64742-48-9; 1174522-20-3 (EC-No.) 919-857-5 (REACH-no) 01-2119463258-33	50 - 75	Flam. Liq. 3, H226 Muta. Not classified Carc. Not classified STOT SE 3, H336 Asp. Tox. 1, H304
Turpentine Oil	(CAS-No.) 8006-64-2 (EC-No.) 232-350-7 (EC Index-No.) 650-002-00-6 (REACH-no) 01-2119553060-53	10 - 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

: Call a poison center or a doctor if you feel unwell. First-aid measures general

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact Irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or

cracking.

Symptoms/effects after eye contact : Eye irritation.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and

eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep cool. Protect from sunlight. Keep away from ignition sources. Store locked up. Store in a

well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)		
EU	IOELV TWA (mg/m³)	116 mg/m³
EU	IOELV STEL (mg/m³)	290 mg/m³
Turpentine Oil (8006-64-2)		
United Kingdom	Local name	Turpentine
United Kingdom	WEL TWA (mg/m³)	566 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm



Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

Turpentine Oil (8006-64-2)		
United Kingdom	WEL STEL (mg/m³)	850 mg/m³
United Kingdom	WEL STEL (ppm)	150 ppm

Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Solid Appearance : Paste. Colour : Various. Odour : Perfume.

Odour threshold : No data available : No data available : No data available Relative evaporation rate (butylacetate=1) Melting point : No data available : Not applicable Freezing point Boiling point : No data available Flash point : 47 °C (Closed cup) Auto-ignition temperature : Not applicable : No data available Decomposition temperature Flammability (solid, gas) : Flammable solid. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : Not applicable

Density : 0.77 - 0.8 g/cm3 (75°C) Solubility : No data available Log Pow : No data available : Not applicable Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : Not applicable

Other information

No additional information available



Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

SECTION 10: Stability and reactivity

Reactivity 10.1.

Flammable solid.

10.2. Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Incompatible materials

No additional information available

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Information on toxicological effects

LC50 inhalation rat (Dust/Mist - mg/l/4h)

Acute toxicity : Not classified

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)		
LD50 oral rat	> 5000 mg/kg (OECD 401)	
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)	
Turpentine Oil (8006-64-2)		
LD50 oral rat	> 3700 mg/kg	
LD50 oral	5760 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg	
LD50 dermal	5010 mg/kg bodyweight	
LC50 inhalation rat (mg/l)	13.7 mg/l/4h	

Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction.

3425 mg/l

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified : Not classified Reproductive toxicity

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

: Harmful to aquatic life with long lasting effects. Ecology - general

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)		
LC50 fish 1	> 1000 mg/l (Oncorhynchus mykiss) (OECD 203)	
EC50 Daphnia 1	> 1000 mg/l (Daphnia magna) (OECD 202)	
EC50 other aquatic organisms 1	> 1000 mg/l waterflea	
EC50 other aquatic organisms 2	> 1000 mg/l	
EC50 72h algae (1)	> 1000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	

EC50 72h algae (1)	> 1000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
Turpentine Oil (8006-64-2)	
LC50 fish 1	29 mg/l (Fish) (OECD 203)



Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

Turpentine Oil (8006-64-2)	
EC50 Daphnia 1	8.8 mg/l (Daphnie) (OECD 202)
EC50 other aquatic organisms 1	6.4 mg/l waterflea
EC50 other aquatic organisms 2	17.1 mg/l
EC50 72h algae (1)	16.8 mg/l (Algues) (OECD 201)

Persistence and degradability

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)	
Biodegradation	80 % (28 days)

12.3. **Bioaccumulative potential**

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (64742-48-9; 1174522-20-3)	
Log Pow 5 - 7	
Turpentine Oil (8006-64-2)	
Log Kow	4.49 (25°C)

Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3175	3175	3175	3175	3175
14.2. UN proper shippi	ng name			
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	Solids containing flammable liquid, n.o.s.	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Transport document descr	iption			
UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics), 4.1, II, (E)	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	UN 3175 Solids containing flammable liquid, n.o.s., 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II
14.3. Transport hazard				
4.1	4.1	4.1	4.1	4.1



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
II	II	II	II	II
14.5. Environmental ha	14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 216, 274, 601

Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06, R001

Special packing provisions (ADR) : PP9

Mixed packing provisions (ADR) : MP11

Portable tank and bulk container instructions : T3, BK1, BK2

Portable tank and bulk container instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP2

Hazard identification number (Kemler No.) : 40

Orange plates

40 3175

: TP33

Tunnel restriction code (ADR) : E EAC code : 1Z

- Transport by sea

Special provisions (IMDG) : 216, 274 Limited quantities (IMDG) : 1 kg Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 : PP9 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC06 IBC special provisions (IMDG) : B2 Tank instructions (IMDG) : T3, BK2 : TP33 Tank special provisions (IMDG) : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-I Stowage category (IMDG) : B

Properties and observations (IMDG) : Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable

liquids.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y441 PCA limited quantity max net quantity (IATA) : 5kg PCA packing instructions (IATA) : 445 PCA max net quantity (IATA) : 15kg CAO packing instructions (IATA) : 448 CAO max net quantity (IATA) : 50kg Special provisions (IATA) : A46 ERG code (IATA) · 3I

- Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 216, 274, 601, 800

Limited quantities (ADN) : 1 kg

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : B

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01, VE03
Provisions for inspection of holds during : IN01, IN02

carriage (ADN)

Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1

Special provisions (RID) : 216, 274, 601

Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06, R001

Special packing provisions (RID) : PP9
Mixed packing provisions (RID) : MP11

Portable tank and bulk container instructions

(RID)

Portable tank and bulk container special : TP33

provisions (RID)

Transport category (RID) : 2
Special provisions for carriage – Packages : W1

(RID)

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP2

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 40

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: T3, BK1, BK2

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available



Date of issue: 11/28/2017

Revision date: 1/10/2020 Version: 1.1

Supersedes: 11/28/2017

1002 - 1004

PATE DE LUXE MEDAILLE D'OR

Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
Muta. Not classified	Germ cell mutagenicity Not classified
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.