

Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Trade name : BAUME CUIRS ETALON NOIR

: 0768 Product code

Product group : Trade product

Other means of identification : N° UFI: AX32-405R-900D-6K5F

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Care product for smooth leather.

1.2.2. Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Manufacturer

AVEL Lombre

16320 MAGNAC LAVALETTE - FRANCE T +33 5 45 64 74 74 - F +33 5 45 64 77 36

avel@avel.com - www.avel.com

Emergency telephone number

: +33 5 45 64 74 74 Emergency number

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.

EUH-statements : EUH066 - Repeated exposure may cause skin dryness or cracking.

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substances

Not applicable

Mixtures



Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent-dewaxed heavy paraffinic	(CAS-No.) 64742-65-0 (EC-No.) 265-169-7 (EC Index-No.) 649-474-00-6 (REACH-no) 01-2119471299-27	25 – 50	Carc. Not classified Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	25 – 50	Carc. Not classified Asp. Tox. 1, H304
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	(EC-No.) 918-481-9 (EC Index-No.) 649-327-00-6 (REACH-no) 01-2119457273-39	10 – 25	Acute Tox. Not classified (Inhalation:vapour) Muta. Not classified Carc. Not classified Asp. Tox. 1, H304
2,6-di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4 (REACH-no) 01-2119565113-46	0.1 – 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Special hazards arising from the substance or mixture

Hazardous decomposition products in case of : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

: Mechanically recover the product. Methods for cleaning up

Other information : Dispose of materials or solid residues at an authorized site.



Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

Conditions for safe storage, including any incompatibilities

: Store in a well-ventilated place. Keep cool. Storage conditions

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

2,6-di-tert-butyl-p-cresol (128-37-0)		
United Kingdom	Local name	2,6-Di-tert-butyl-p-cresol
United Kingdom	WEL TWA (mg/m³)	10 mg/m³

Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Solid Appearance : Grease.

Colour : White to off-white. Odour : characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available



Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

Freezing point : Not applicable **Boiling point** : No data available Flash point : Not applicable Auto-ignition temperature : Not applicable Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : Not applicable

Density : 0.86 - 0.88 g/cm3 (20 °C)

Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available : No data available Explosive properties Oxidising properties : No data available **Explosive limits** : Not applicable

Other information

VOC content : 14.4 %

SECTION 10: Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Incompatible materials

No additional information available

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

: Not classified Acute toxicity

2,6-di-tert-butyl-p-cresol (128-37-0)	
LD50 oral	6000 mg/kg (OCDE 401)
LD50 dermal rat	> 2000 mg/kg (OCDE 402)
Hudracarbana C40 C42 malkanas isaalkanas avalias < 2.0/ aramatias	

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	5 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	> 5610 mg/l

: Not classified Skin corrosion/irritation Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified : Not classified Germ cell mutagenicity



Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

: Not classified Carcinogenicity Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

2,6-di-tert-butyl-p-cresol (128-37-0)		
LC50 fish 1	0.199 mg/l	
EC50 Daphnia 1	0.48 mg/l (OCDE 202)	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics		
LC50 fish 1	> 1000 mg/l	
EC50 Daphnia 1	> 1000 mg/l (Daphnia Magna)	
EC50 other aquatic organisms 1	> 1000 mg/l waterflea	
EC50 other aquatic organisms 2	> 1000 mg/l	
EC50 72h algae (1)	> 1000 mg/l (Pseudokirchneriella subcapitata)	

12.2. Persistence and degradability

2,6-di-tert-butyl-p-cresol (128-37-0)	
BOD (% of ThOD)	4.5 % ThOD

Bioaccumulative potential

2,6-di-tert-butyl-p-cresol (128-37-0)	
Bioconcentration factor (BCF REACH)	598

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	
Partition coefficient n-octanol/water (Log Pow)	5 – 7 (20°C)

Mobility in soil

No additional information available

Results of PBT and vPvB assessment

No additional information available

Other adverse effects

No additional information available

SECTION 13: Disposal considerations

Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
14.1. UN number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping nam	e		
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable



Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

ADR	IMDG	IATA	RID
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. **EU-Regulations**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

VOC content : 14.4 %

15.1.2. National regulations

No additional information available

Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

	····
Acute Tox. Not classified (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Not classified
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. Not classified	Carcinogenicity Not classified
Muta. Not classified	Germ cell mutagenicity Not classified
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.



Issue date: 9/6/2018

Revision date: 2/7/2023 Version: 2.0

Supersedes version of: 9/6/2018

0768

BAUME CUIRS ETALON NOIR

SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.