

Date of issue: 11/28/2017

Version: 1.0

# 1002 - 1004

# PATE DE LUXE MEDAILLE D'OR

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixtures
Trade name	: PATE DE LUXE MEDAILLE D'OR
Product code	: 1002 - 1004
Product group	: Trade product
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: Care product for smooth leather.
1.2.2. Uses advised against	
No additional information available	
<b>1.3.</b> Details of the supplier of the	safety data sheet
Manufacturer	
AVEL Lombre	
16320 MAGNAC LAVALETTE - FRANC	E
T +33 5 45 64 74 74 - F +33 5 45 64 77	36
avel@avel.com - www.avel.com	
1.4. Emergency telephone numb	)er
Emergency number	: +33 5 45 64 74 74
<b>SECTION 2: Hazards identifica</b>	ation
2.1. Classification of the substa	nce or mixture
Classification according to Regulation	n (EC) No. 1272/2008 [CLP]
Flammable solids, Category 2	H228
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity — Single	H336
exposure, Category 3, Narcosis Hazardous to the aquatic environment	H412
— Chronic Hazard, Category 3	11412
Full text of hazard classes and H-statem	nents : see section 16
Adverse physicochemical, human he	alth and environmental effects

#### Adverse physicochemical, human health and environmental effects

Flammable solid. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS02 GHS07

Signal word (CLP) Hazardous ingredients : Warning : Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics; Turpentine Oil

AVET	Safety Data Sheet	Date of issue: 11/28/2017
AVEL		Version: 1.0
1002 - 1004	PATE DE LUXE MEDAILLE D	'OR
Hazard statements (CLP)	<ul> <li>H228 - Flammable solid.</li> <li>H315 - Causes skin irritation.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H319 - Causes serious eye irritation.</li> <li>H336 - May cause drowsiness or dizziness.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> </ul>	
Precautionary statements (CLP)	<ul> <li>P101 - If medical advice is needed, have product container or label at hand.</li> <li>P102 - Keep out of reach of children.</li> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> </ul>	
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or crackir EUH208 - Contains Turpentine Oil(8006-64-2). May produce an a	

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics	(EC-No.) 919-857-5 (REACH-no) 01-2119463258-33	50 - 75	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
Turpentine Oil	(CAS-No.) 8006-64-2 (EC-No.) 232-350-7 (EC Index-No.) 650-002-00-6 (REACH-no) 01-2119553060-53	15 - 25	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

### Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measure	S
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and o	effects, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.



Version: 1.0

# 1002 - 1004

# PATE DE LUXE MEDAILLE D'OR

4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Flammable solid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	Isures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ing any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Keep cool. Protect from sunlight. Keep away from ignition sources. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
7.2 Specific and use(a)	

7.3. Specific end use(s) No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Turpentine Oil (8006-64-2)		
United Kingdom	Local name	Turpentine
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	566 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	850 mg/m³



Date of issue: 11/28/2017

Version: 1.0

# 1002 - 1004

# PATE DE LUXE MEDAILLE D'OR

Turpentine Oil (8006-64-2)

United Kingdom WEL STEL (ppm) 150 ppm

#### 8.2. **Exposure controls**

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves

Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and		
Physical state	: Solid	
Appearance	: Paste.	
Colour	: Various.	
Odour	: Perfume.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable solid.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: Not applicable	
Density	: 0.77 - 0.8 g/cm <sup>3</sup> (75°C)	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: Not applicable	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: Not applicable	
9.2. Other information		

No additional information available

AVEL	Safety Data Sheet according to Regulation (EU) 2015/830	Date of issue: 11/28/2017 Version: 1.0	
1002 - 1004	PATE DE LUXE MEDAILLE	E D'OR	
SECTION 10: Stability and	l reactivity		
10.1. Reactivity			
Flammable solid.			
10.2. Chemical stability			
Stable under normal conditions.			
10.3. Possibility of hazardou	is reactions		
No dangerous reactions known un			
5			
10.4. Conditions to avoid			
	eat. No flames, no sparks. Eliminate all sources of ignition.		
10.5. Incompatible materials			
No additional information available	:		
10.6. Hazardous decomposit	tion products		
Under normal conditions of storage	e and use, hazardous decomposition products should not be produced.		
SECTION 11: Toxicologica	al information		
11.1. Information on toxicolo	-		
Acute toxicity	: Not classified		
Hydrocarbons, C9-C11, n-alkar	nes, isoalkanes, cyclics, < 2 % aromatics		
LD50 oral rat	> 5000 mg/kg (OECD 401)		
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)		
Turpentine Oil (8006-64-2)			
LD50 oral rat	> 3700 mg/kg		
LD50 oral	5760 mg/kg bodyweight		
LD50 dermal rabbit	> 2000 mg/kg		
LD50 dermal			
LD50 dermal LC50 inhalation rat (mg/l)	13.7 mg/l/4h		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m			
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation	ng/l/4h) 3425 mg/l		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation	ng/l/4h) 3425 mg/l : Causes skin irritation.		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation.		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction.		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified : May cause drowsiness or dizziness.		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified : May cause drowsiness or dizziness. : Not classified		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified : May cause drowsiness or dizziness.		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified : May cause drowsiness or dizziness. : Not classified : Not classified : Not classified		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified : May cause drowsiness or dizziness. : Not classified : Not classified : Not classified		
LC50 inhalation rat (mg/l) LC50 inhalation rat (Dust/Mist - m Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard	ng/l/4h) 3425 mg/l : Causes skin irritation. : Causes serious eye irritation. : May cause an allergic skin reaction. : Not classified : Not classified : Not classified : May cause drowsiness or dizziness. : Not classified : Not classified : Not classified		

Ecology - general	: Harmful to aquatic life with long lasting effects.			
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics				
LC50 fish 1	> 1000 mg/l (Oncorhynchus mykiss) (OECD 203)	> 1000 mg/l (Oncorhynchus mykiss) (OECD 203)		
EC50 Daphnia 1	> 1000 mg/l (Daphnia magna) (OECD 202)			
EC50 72h algae (1)	> 1000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)			
Turpentine Oil (8006-64-2)				
LC50 fish 1	29 mg/l (Fish) (OECD 203)			
EC50 Daphnia 1	8.8 mg/l (Daphnie) (OECD 202)			
EC50 other aquatic organisms 1	6.4 mg/l waterflea			



Version: 1.0

# 1002 - 1004

# PATE DE LUXE MEDAILLE D'OR

Turpentine Oil (8006-64-2)	
EC50 other aquatic organisms 2	17.1 mg/l
EC50 72h algae (1)	16.8 mg/l (Algues) (OECD 201)

### 12.2. Persistence and degradability

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics			
Biodegradation	80 % (28 days)		
12.3. Bioaccumulative potential			
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics			
Log Pow 5 - 7			
Turpentine Oil (8006-64-2)			
Log Kow 4.49 (25°C)			
12.4. Mobility in soil			

No additional information available

#### Results of PBT and vPvB assessment 12.5.

No additional information available

#### Other adverse effects 12.6.

No additional information available

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

4

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
3175	3175	3175	3175	3175
<b>14.2.</b> UN proper shippi SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, < 2 %	ng name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	Solids containing flammable liquid, n.o.s.	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
aromatics ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics)	- 41			
Transport document descr UN 3175 SOLIDS	UN 3175 SOLIDS	UN 3175 Solids containing	UN 3175 SOLIDS	UN 3175 SOLIDS
CONTAINING FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2 % aromatics), 4.1, II, (E)	CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	flammable liquid, n.o.s., 4.1, II	CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II	CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, II
14.3. Transport hazard	class(es)	4.1	4.1	4.1
4.1	· +. I	4.1	4.1	4.1

				1	
AVEL		Safety Data Sheet according to Regulation (EU) 2015/830		Date of issue: 11/28/2017	
				Version: 1.0	
1002 - 1004 PATE DE LUXE MEDAILLE D'OR					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.4. Packing group					
Ш	II	II	II	11	
14.5. Environmental ha		Description of an the	Den remain familie		
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
	Marine pollutant : N				
		No supplementary information	n available		
14.6. Special precaution	ons for user				
- Overland transport					
Classification code (ADR)		: F1			
Special provisions (ADR)		: 216, 274, 601			
Limited quantities (ADR)		: 1kg			
Excepted quantities (ADR)		: E2			
Packing instructions (ADR)		: P002, IBC06, R001			
Special packing provisions (		: PP9			
Mixed packing provisions (A	DR)	: MP11			
Portable tank and bulk conta (ADR)		: T3, BK1, BK2			
Portable tank and bulk container special provisions (ADR)		: TP33			
Vehicle for tank carriage		: AT			
Transport category (ADR)		: 2			
Special provisions for carriage - Packages (ADR)		: V11			
Special provisions for carriage - Bulk (ADR)		: VC1, VC2, AP2			
Hazard identification number (Kemler No.)		: 40			
Orange plates		<b>40</b> <b>3175</b>			
Tunnel restriction code (ADR)		: E			
EAC code		: 1Z			
- Transport by sea					
- Transport by sea Special provisions (IMDG)		: 216, 274			
Limited quantities (IMDG)		: 1 kg : E2			
Excepted quantities (IMDG)					
Packing instructions (IMDG)		: P002			
		: PP9			
		: IBC06			
,		: B2			
		: T3, BK2			
		: TP33			
		: F-A			
EmS-No. (Spillage)		: S-I			
Stowage category (IMDG)		: B			
Properties and observations (IMDG)		: Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable liquids.			
- Air transport					
PCA Excepted quantities (IATA)		: E2			
PCA Limited quantities (IATA)		: Y441			



Date of issue: 11/28/2017

Version: 1.0

1002 - 1004	PATE DE LUXE MEDAILLE D'OR		
PCA limited quantity max net quantity (IATA)	: 5kg		
PCA packing instructions (IATA)	: 445		
PCA max net quantity (IATA)	: 15kg		
CAO packing instructions (IATA)	: 448		
CAO max net quantity (IATA)	: 50kg		
Special provisions (IATA)	: A46		
ERG code (IATA)	: 3L		
Inland waterway transport			
Classification code (ADN)	: F1		
Special provisions (ADN)	: 216, 274, 601, 800		
imited quantities (ADN)	: 1 kg		
Excepted quantities (ADN)	: E2		
Carriage permitted (ADN)	: B		
Equipment required (ADN)	: PP, EX, A		
/entilation (ADN)	: VE01, VE03		
Provisions for inspection of holds during carriage (ADN)	: IN01, IN02		
Number of blue cones/lights (ADN)	: 1		
Rail transport			
Classification code (RID)	: F1		
Special provisions (RID)	: 216, 274, 601		
imited quantities (RID)	: 1kg		
Excepted quantities (RID)	: E2		
Packing instructions (RID)	: P002, IBC06, R001		
Special packing provisions (RID)	: PP9		
Mixed packing provisions (RID)	: MP11		
Portable tank and bulk container instructions (RID)	: T3, BK1, BK2		
Portable tank and bulk container special provisions (RID)	: TP33		
Transport category (RID)	: 2		
Special provisions for carriage – Packages RID)	: W1		
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP2		
Colis express (express parcels) (RID)	: CE11		
Hazard identification number (RID)	: 40		

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out



Date of issue: 11/28/2017

Version: 1.0

# 1002 - 1004

# PATE DE LUXE MEDAILLE D'OR

# **SECTION 16: Other information**

## Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Flam. Sol. 2	Flammable solids, Category 2		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
H226	Flammable liquid and vapour.		
H228	Flammable solid.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H336	May cause drowsiness or dizziness.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
EUH066	Repeated exposure may cause skin dryness or cracking.		
EUH208	Contains . May produce an allergic reaction.		

#### SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product