

Date of issue: 2/12/2020

Version: 1.0

1735

## PROTECTOR

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Mixtures Trade name : PROTECTOR Product code : 1735 Vaporizer : Aerosol Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Waterproofing product for leather.

#### 1.2.2. Uses advised against

No additional information available

## Details of the supplier of the safety data sheet

#### Manufacturer

**AVEL** Lombre

16320 MAGNAC LAVALETTE - FRANCE T +33 5 45 64 74 74 - F +33 5 45 64 77 36

avel@avel.com - www.avel.com

#### **Emergency telephone number**

: +33 5 45 64 74 74 Emergency number

### SECTION 2: Hazards identification

#### Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 3

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated.

#### Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : Warning

Hazard statements (CLP) : H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

### Substances

Not applicable



Date of issue: 2/12/2020

Version: 1.0

1735

# **PROTECTOR**

#### **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Methyl-2-propanol	(CAS-No.) 75-65-0 (EC-No.) 200-889-7 (EC Index-No.) 603-005-00-1 (REACH-no) 01-2119444321-51	1 - 5	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H-statements: see section 16

#### SECTION 4: First aid measures

#### **Description of first aid measures**

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

No additional information available

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### Special hazards arising from the substance or mixture

: Pressurised container: May burst if heated. Explosion hazard

Hazardous decomposition products in case of : Toxic fumes may be released.

### Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### **Environmental precautions**

Avoid release to the environment.

#### Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

#### Reference to other sections

For further information refer to section 13.



Date of issue: 2/12/2020

Version: 1.0

1735

# **PROTECTOR**

## **SECTION 7: Handling and storage**

## Precautions for safe handling

Precautions for safe handling

- : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-

ventilated place. Keep cool.

#### Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### **Control parameters**

2-Methyl-2-propanol (75-65-0)		
United Kingdom	Local name	2-Methylpropan-2-ol
United Kingdom	WEL TWA (mg/m³)	308 mg/m³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m³)	462 mg/m³
United Kingdom	WEL STEL (ppm)	150 ppm

#### **Exposure controls**

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Physical state : Liquid Appearance : Transparent. Colour Colourless. Odour : No data available Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point



Date of issue: 2/12/2020

Version: 1.0

## 1735

## PROTECTOR

Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) : Non flammable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available : 1 - 1.02 g/cm3 (20 °C) Density Solubility : No data available : No data available Log Pow Viscosity, kinematic No data available Viscosity, dynamic : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available : No data available **Explosive limits** 

#### Other information 9.2.

: Compressed gas Gas group

## SECTION 10: Stability and reactivity

#### Reactivity

Pressurised container: May burst if heated.

#### **Chemical stability**

Stable under normal conditions.

#### Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### Incompatible materials

No additional information available

#### **Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

## Information on toxicological effects

: Not classified Acute toxicity

2-Methyl-2-propanol (75-65-0)		
LD50 oral rat	2743 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (ppm)	> 10000 ppm/4h	

: Not classified Skin corrosion/irritation Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified : Not classified Germ cell mutagenicity Carcinogenicity : Not classified : Not classified Reproductive toxicity STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified



Date of issue: 2/12/2020

Version: 1.0

1735

# **PROTECTOR**

PROTECTOR	
Vaporizer	Aerosol

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

2-Methyl-2-propanol (75-65-0)		
LC50 fish 1 6140 mg/l (Pimephales promelas)		
EC50 Daphnia 1	933 mg/l (Daphnia magna (puce d'eau large))	

#### 12.2. Persistence and degradability

2-Methyl-2-propanol (75-65-0)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	> 99.9 %	

#### Bioaccumulative potential

No additional information available

#### Mobility in soil

No additional information available

#### Results of PBT and vPvB assessment

No additional information available

### Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shippi				
AEROSOLS	AEROSOLS	Aerosols, non-flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.2, (E)	UN 1950 AEROSOLS, 2.2	UN 1950 Aerosols, non- flammable, 2.2	UN 1950 AEROSOLS, 2.2	UN 1950 AEROSOLS, 2.2
14.3. Transport hazard	class(es)			
2.2	2.2	2.2	2.2	2.2
2	2	2	2	3
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No Marine pollutant : No	environment : No	environment : No	environment : No
No supplementary information available				



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 2/12/2020

Version: 1.0

1735

# **PROTECTOR**

#### 14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5A

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P207

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR): MP9Transport category (ADR): 3Special provisions for carriage - Packages: V14

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

Tunnel restriction code (ADR) : E

: CV9, CV12

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P207, LP02
Special packing provisions (IMDG) : PP87, L2
EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None
Stowage and handling (IMDG) : SW1, SW22
Segregation (IMDG) : SG69

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A98, A145, A167, A802

ERG code (IATA) : 2L

- Inland waterway transport

Classification code (ADN) : 5A

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP

Ventilation (ADN) : VE04

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : 5A

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0



Date of issue: 2/12/2020

Version: 1.0

1735

# **PROTECTOR**

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9 Transport category (RID) : 3 Special provisions for carriage – Packages : W14

Special provisions for carriage - Loading,

unloading and handling (RID)

: CE2

: CW9, CW12

Colis express (express parcels) (RID) Hazard identification number (RID) : 20

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### National regulations 15.1.2.

No additional information available

#### **Chemical safety assessment**

No chemical safety assessment has been carried out

#### SECTION 16: Other information

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Aerosol 3	Aerosol, Category 3	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	

SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.